







LED strip SMD5050 60 leds 24V 3000K IP65

SKU 2562 EAN 3800157637534 VT-5050

Related products (SKUs): 2118, 2122, 2124, 2126, 2127, 2128, 2129, 2133, 2136, 2137, 2138, 2142, 2143, 2145, 2148, 2151, 2152, 2153, 2155, 2156, 2159, 2358, 2430, 2544, 2547, 2552, 2553, 2563, 2583, 2584, 2591, 2592, 3005, 2149, 2431, 2459, 23145, 23146, 212135, 212563



TECHNICAL SPECIFICATION

Power	9W	Number of LEDs	60 LED/m.	Pack length	270mm
Luminous flux (lm)	500 lm	CRI	80+	Pack width	50mm
Light color	Warm white	Material	PCB	Pack height	270mm
Color temperature	3000K	Type	60LED/m	Master carton	10
Beam angle	120°	Dimming	TAK	Quantity per pallet	3600
Voltage	24V	IP rating	IP65	Brand	V-TAC
SKU	SKU 2562	Cut point	Every 3 LEDs	Warranty	2y
EAN barcode	3800157637534	Ignition time (100%)	0.001s	Certifications	CE, EMC, ROHS
Product code	VT-5050	Color consistency	<6	Efficacy (lm/W)	55 lm/W
Series	LED strips	Declared intensity (cd)	159.15 Cd Max.	Parameters	Power and luminous flux are given for 1m of product
Energy class	F	On/Off cycles	15000	ETIM	EC001959
Shape	LED strip	Operating conditions	-20° +60°	CN code	8539 52 00
LED module type	SMD5050	Length	5m	EPREL	926437
Lifetime	20000h	Width	10mm		
Input voltage	24V DC	Product weight	1,23		
Current	0.375A/m.	Volume	0,003645		

**LED strip SMD5050 60 leds 24V 3000K IP65**

SKU 2562 EAN 3800157637534 VT-5050

Related products (SKUs): 2118, 2122, 2124, 2126, 2127, 2128, 2129, 2133, 2136, 2137, 2138, 2142, 2143, 2145, 2148, 2151, 2152, 2153, 2155, 2156, 2159, 2358, 2430, 2544, 2547, 2552, 2553, 2563, 2583, 2584, 2591, 2592, 3005, 2149, 2431, 2459, 23145, 23146, 212135, 212563

Product description

- Flexible LED strip powered by 24V voltage
- The coating of the strip provides much better protection of the LED strip against moisture, water and dirt than traditional silicone. Additional double-sided tape for easier installation
- Roll 5 meters
- Easy assembly
- Extremely low energy consumption
- Many visual effects in an infinite number of colors and shades
- The product is available in light colors from warm white to RGB
- Available in versions from IP20 to IP65

GPSR Information

- Manufacturer: V-TAC Europe Ltd. Address: bul. "Rozhen" 41, 1271 Sofia, Bulgaria, office@v-tac.eu
- Importer: V-TAC Europe Ltd. Address: bul. "Rozhen" 41, 1271 Sofia, Bulgaria, office@v-tac.eu
- Distributor and importer in Poland: Led Europe Sp. z o.o. Address: ul. Starorudzka 12E 93-491 Łódź, Poland, biuro@led-europe.pl
- Documents confirming compliance of products with applicable safety standards are available on the website www.v-tac.eu. If the required documentation is not available, please contact the local distributor: biuro@led-europe.pl
- If you have any problems with the product, contact the distributor in Poland: biuro@led-europe.pl
- Country of production: China