



Meaningful Innovation.

INSTRUCTION MANUAL

MAGNETIC LIGHTS



VT-41008
MAGNETIC LINEAR
SPOT LIGHT



VT-41021
MAGNETIC LINEAR
SPOT LIGHT



VT-41022
MAGNETIC LINEAR
SPOT LIGHT



VT-41023
MAGNETIC LINEAR
SPOT LIGHT



VT-41026
MAGNETIC LINEAR LIGHT



VT-41027
MAGNETIC LINEAR LIGHT



VT-41036
MAGNETIC LINEAR LIGHT



VT-41048
MAGNETIC LINEAR LIGHT



VT-41028
MAGNETIC LINEAR SPOT
LIGHT- ADJUSTABLE ANGLE



VT-41029
MAGNETIC LINEAR SPOT
LIGHT- ADJUSTABLE ANGLE



VT-41031
MAGNETIC LINEAR SPOT
LIGHT- ADJUSTABLE ANGLE



VT-40012
MAGNETIC TRACK LIGHT



VT-40020
MAGNETIC TRACK LIGHT



VT-40009
MAGNETIC PENDANT LIGHT



VT-40006
MAGNETIC PENDANT LIGHT



VT-40011
MAGNETIC PENDANT LIGHT

INTRODUCTION & WARRANTY

Thank you for selecting and buying V-TAC product. V-TAC will serve you the best. Please read these instructions carefully before starting the installation and keep this manual handy for future reference. If you have any another query, please contact our dealer or local vendor from whom you have purchased the product. They are trained and ready to serve you at the best. The warranty is valid for 3 years from the date of purchase. The warranty does not apply to damage caused by incorrect installation or abnormal wear and tear. The company gives no warranty against damage to any surface due to incorrect removal and installation of the product. The products are suitable for 10-12 Hours Daily operation. Usage of product for 24 Hours a day would void the warranty. This product is warranted for manufacturing defects only.



MULTI-LANGUAGE MANUAL QR CODE

Please scan the QR code
to access the manual in
multiple languages.

03 YEAR
WARRANTY*

TECHNICAL DATA

MODEL	SKU	INPUT VOLTAGE	POWER	LUMEN	BEAM ANGLE	CRI	IP RATING	BODY TYPE	DIMENSION
VT-41008	24368 24369 24415	DC 48V	5W	425 Lm	30°	80	IP20	Aluminium	115x22x44mm
VT-41021	24370 24371 24372	DC 48V	10W	860 Lm	30°	80	IP20	Aluminium	221x22x44mm
VT-41022	24373 24374 24375	DC 48V	15W	1215 Lm	30°	80	IP20	Aluminium	330x22x44mm
VT-41023	24376 24377 24378	DC 48V	20W	1660 Lm	30°	80	IP20	Aluminium	437x22x44mm
VT-41026	24379 24380 24381	DC 48V	10W	1100 Lm	120°	80	IP20	Aluminium	300x22x43mm
VT-41027	24382 24383 24384	DC 48V	20W	2230 Lm	120°	80	IP20	Aluminium	600x22x43mm
VT-41036	24385 24386 24387	DC 48V	28W	3265 Lm	120°	80	IP20	Aluminium	900x22x45mm
VT-41048	24388 24389 24390	DC 48V	36W	4325 Lm	120°	80	IP20	Aluminium	1200x22x45mm
VT-41028	24391 24392 24393	DC 48V	5W	400 Lm	30°	80	IP20	Aluminium	115x22x105mm
VT-41029	24394 24395 24396	DC 48V	10W	840 Lm	30°	80	IP20	Aluminium	223x22x105mm
VT-41031	24397 24398 24399	DC 48V	15W	1220 Lm	30°	80	IP20	Aluminium	330x22x105mm
VT-40012	24400 24401 24402	DC 48V	10W	950 Lm	30°	80	IP20	Aluminium	106x60x152mm
VT-40020	24403 24404 24405	DC 48V	12W	1140 Lm	30°	80	IP20	Aluminium	115x70x165mm
VT-40009	24406 24407 24408	DC 48V	7W	840 Lm	40°	80	IP20	Aluminium	Ø80x120mm
VT-40006	24409 24410 24411	DC 48V	5W	360 Lm	30°	80	IP20	Aluminium	115xØ50x1400mm
VT-40011	24412 24413 24414	DC 48V	10W	735 Lm	30°	80	IP20	Aluminium	115xØ50x1500mm



FR

Cet appareil,
ses accessoires
et cordons
se recyclent

À DÉPOSER
EN MAGASIN



ou


À DÉPOSER
EN DÉCHÈTERIE




Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

WARNING

1. Please make sure to turn off the power before starting the installation.
2. Installation must be performed by a certified person.
3. Proper grounding should be ensured throughout the installation.
4. Do not connect with AC 220V directly. Use DC 48V transformer.
5. For Indoor use only.




This marking indicates that this product should not be disposed of with other household wastes.



Caution, risk of electric shock.

INSTALLATION DIAGRAM



INSTALLATION INSTRUCTION

1. Turn off the power.
2. Drill a hole on the wall and insert the expansion plug into the holes.
3. Fix the rail on the wall using screws. (Figure).
4. Connect DC 48V power supply with the main supply. (Figure 3).
5. Install the luminaire on the track rail.
6. Switch on and test.



V-TAC WEST EUROPE LTD. IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT, PLEASE REACH OUT TO US AT:
SUPPORT@V-TAC.EU FOR MORE PRODUCTS RANGE, INQUIRY PLEASE CONTACT OUR DISTRIBUTOR OR NEAREST DEALERS.
V-TAC WEST EUROPE LTD. GROUND FLOOR, 71 LOWER BAGGOT STREET, DUBLIN 02, IRELAND D02 P593

V-TAC UK LTD. IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT PLEASE REACH OUT TO US AT
SUPPORT@VTACEXPORTS.COM V-TAC, 5A TUNGSTEN PARK, DOWNS ROAD, WITNEY, OXFORDSHIRE, OX29 0AX
