

V-TAC

Meaningful Innovation.

8kW

Three Phase On-Grid Solar Inverter

10 YEAR WARRANTY



Multi MPP trackers



160% DC Input oversizing



Smart I-V curve diagnosis supported



DC&AC type II SPD



Intelligent fault detection



AFCI function (Optional)



IP66 rating



V-TAC.EU



LED-EUROPE.PL



CE RoHS

LISTING DETAILS

Model No: **VT-6608310**
 SKU Code: **11382**
 EAN Code: **3800157689403**

MASTER BOX PACKAGING

Net Weight : **13.5kg**
 Product Size : **430 x 380 x 150 mm**

INPUT (DC)

Max. Input Power **12.8kW**
 Max. Input Voltage **1100V**
 Start Voltage **160V**
 Rated Input Voltage **600V**
 Full-load MPP Voltage Range **320V ~ 850V**
 MPPT Voltage Range **140V ~ 1000V**
 Number of MPP Trackers / String per MPPT **2 / 1**
 Max. Current per MPPT **13A**
 Max. Short Circuit Current per MPPT **16A**

GENERAL DATA

Operating Temperature Range **-25° C ~ +60° C**
 Cooling Method **Natural**
 Protection Degree **IP66**
 Max. Operating Altitude **4000m**
 Relative Humidity **0 ~ 100%**
 Topology **Transformerless**
 Night Power Consumption **<1W**
 Warranty **10 years**

COMMUNICATION

Display **LED / LCD (Optional)**
 Communication **Standard : RS485 / USB
 Optional: WiFi / GPRS / Ethernet**

OUTPUT (AC)

Max. Output Current **12.8A**
 Rated Output Power **8kW**
 Max. Output Power **8.8kVA**
 Rated Grid Frequency **50Hz / 60Hz**
 Rated Grid Voltage **230Vac / 400Vac, 3L / N / PE**
 Power Factor **>0.99 (0.8 leading~0.8 lagging)**
 THDi **<3% (Rated Power)**

STANDARD COMPLIANCE

Grid Connection Standards **IEC 61727, IEC 62116, IEC 60068, IEC 61683, VDE-AR-N 4110:2018, VDE-AR-N 4105:2018, VDE-AR-N 4120:2018, EN 50549, AS/NZS 4777.2:2015, CEI 0-21, VDE 0126-1-1/A1 VFR 2014, UTE C15-712-1:2013, DEWA DRRG, NRS 097-2-1, MEA/PEA, C10/11, G98/G99**

Safety / EMC **IEC 62109-1:2010, IEC 62109-2:2011, EN 61000-6-2:2005, EN 61000-6-3:2007/A1:2011**

EFFICIENCY

Max. Efficiency **98.70%**
 European Efficiency **98.50%**
 MPPT Efficiency **99.90%**

PROTECTION

DC reverse polarity protection **Yes**
 Anti-islanding protection **Yes**
 AC short circuit protection **Yes**
 Residual current monitoring unit **Yes**
 Insulation resistance monitoring **Yes**
 Ground fault monitoring **Yes**
 Grid monitoring **Yes**
 Surge protection **Type II**
 AFCI protection **Optional**