

CATALOGUE

TRACKLIGHTS | 2024

SAMSUNG
LED

illuminated

MOVING TOWARDS SUSTAINABILITY.

V-TAC

Meaningful Innovation.



WELCOME TO V-TAC

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide.

While building a vast portfolio in LED lighting over the past years, we were also able to build expertise in innovation and expand our R&D team to offer a diversified catalogue with over 3500 products to our clients and partners all over the UK and Europe.

Utilizing our brand value and manufacturing technologies, we have been expanding our product categories beyond lighting, with one mission to improve the lives of humanity worldwide.

Now, we are moving towards promoting sustainable practices that will help citizens and businesses lower their carbon footprint, and become a global leader in providing energy efficient systems — including solar panels, inverters, battery packs, and power stations.

V-TAC Lighting

V-TAC Digital

V-TAC Audio

V-TAC Solar

V-TAC Electrical

V-TAC Smart

V-TAC Energy

Many divisions, one mission.



2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide

2011

Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2013

Started building our distribution network in the UK from our office in Southall, London.

2015

Launched our in-house product testing lab in Sofia, Bulgaria.

2016

Achieved \$100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting.

2017

In-brand partnership with Samsung. Launched the V-TAC Pro series.

2022

Progressed into the green energy era with our new Renewables range

2021

Centralized warehouse in Bulgaria extended to 42000+ sq mts.

2020


- New website launch
- Opened new office in Ireland.

2019

Opened new office in Poland.

2018

- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK




FABRIC BELT SERIES

Imagine a perfect blend of simplicity and innovation? That's what V-TAC offers with its innovative lighting concept, inspired by the design of a belt. It's a blend of materiality and light like never before.

V-TAC offers a top-quality fabric belt that does more than just hold things together. It conducts electricity, transforming it into a conduit for light to efficiently pass through any space. It's a game-changer, and it's here to revolutionize the way professionals think about lighting design.

V-TAC empowers creative minds with a versatile toolkit to craft unique lighting experiences and cultivate distinct atmospheres using various lighting tools. This toolkit isn't the regular collection of lighting system; rather, an agent of possibilities. Within these toolkits, you'll discover an array of elements like component pieces, a collection of colours, as well as diverse textures. The magic happens when you mix and match these elements, tailoring them to the specific features of your space. For designers and architects, this is a powerhouse of creativity, offering an endless canvas to paint with light. With V-TAC, you're not just illuminating a space; you're creating it, shaping its ambiance, and carving an environment that tells a lifelong story.

NEW FABRIC BELT SERIES-LED GLOBE LIGHT



DC:48V Input Voltage


120° Beam Angle

>90 CRI

Aluminium Body

25,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23108 - 3000K WARM WHITE	VT-41010-SB	Sandy Black	10W	900	150x147

NEW FABRIC BELT SERIES-LED SPOTLIGHT



- DC:48V Input Voltage
- 38° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23104 - 3000K WARM WHITE	VT-41012-SB	Sandy Black	12W	800	107x107
23105 - 3000K WARM WHITE	VT-41012-SW	Sandy White	12W	900	107x107

NEW FABRIC BELT SERIES-LED DOWNLIGHT




- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating




SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23106 - 3000K WARM WHITE	VT-41112-SB	Sandy Black	12W	800	107x107
23107 - 3000K WARM WHITE	VT-41112-SW	Sandy White	12W	800	107x107

NEW FABRIC BELT SERIES-LED DOWNLIGHT



- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23109 - 3000K WARM WHITE	VT-41020-SB	Sandy Black	20W	1400	200x113
23110 - 3000K WARM WHITE	VT-41020-SW	Sandy White	20W	1700	200x113

NEW FABRIC BELT SERIES-LED DOWNLIGHT



- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23111 - 3000K WARM WHITE	VT-41120-SB	Sandy Black	20W	1200	300x71
23112 - 3000K WARM WHITE	VT-41120-SW	Sandy White	20W	1100	300x71



NEW

FABRIC TRACK BELT



SKU	Size(mm)	Unit Color
23125	10 Meters	Begonia Red

NEW


FABRIC TRACK BELT



SKU	Size(mm)	Unit Color
23126	10 Meters	Dark Grey

NEW


SURFACE CANOPY



SKU	Size(mm)	Unit Color
23127	Ø205x50	Sandy Black


NEW

2 FUNCTION REMOTE SURFACE CANOPY




SKU	Size(mm)	Unit Color
23129	63x75x43	Sandy Black

NEW REMOTE RECESSED CANOPY



SKU	Size(mm)	Unit Color
23130	90x72	Sandy Black

NEW RECESSED WIRE CONNECTOR



SKU	Size(mm)	Unit Color
23131	65x1500	Sandy Black

NEW COUNTER WEIGHT FOR FLOOR LAMP




SKU	Size(mm)	Unit Color
23132	60x117x130	Sandy Black

NEW SUSPENSION CLIP




SKU	Size(mm)	Unit Color
23133	40x40x1200	Sandy Black

NEW BELT SUPPORT



SKU	Size(mm)	Unit Color
23135	41x7x38	Sandy Black

NEW BELT END CAP-DOUBLE WIRES



SKU	Size(mm)	Unit Color
23136	36x12.5x25	Sandy Black

NEW BELT END CAP-SINGLE WIRE




SKU	Size(mm)	Unit Color
23137	34x10.4x7.5	Sandy Black

NEW POWER SUPPLY(DRIVER)



SKU	Output Voltage	Watts
23181	DC: 48V, 2.08A	100W



LED CCT SMART 48V Tracklights

Track lights uniquely utilize magnets' fast adsorption characteristics and are made up by combining the magnetic track and light. The track itself comes in multiple variations, with surface mounted, recessed, suspended and borderless embedding options available. The light has anti-glare line light, anti-glare high power light, soft light lamp, suspension light, and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, the surface combination can meet the needs of various lighting effects. Its convenient installation, fashionable style, and can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas, and clubs.

NEW COB SMART 48V TRACK LIGHT-FLEXIBLE TUBE



Voltage/Frequency: DC:48V
 CRI: >80
 Beam Angle: 200°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)
10275 -3IN1	VT-42112-S	11W	1270	1000mm
10276 -3IN1	VT-42024-S	23W	2810	2000mm

NEW LED SMART 48V TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 90°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6882-3IN1	VT-3612	12W	1200	292x22x43mm	50
6883-3IN1	VT-3620	20W	2100	580x22x43mm	20

NEW LED SMART 48V TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6884-3IN1	VT-3614	14W	1300	292x22x43mm	50
6885-3IN1	VT-3621	20W	2000	580x22x43mm	20

NEW LED SMART SMART 48V TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 27°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6888-3IN1	VT-908D	8W	700	50x150x210mm	20

NEW LED SMART SMART 48V TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6886-3IN1	VT-3610	10W	900	162x22x137mm	20
6887-3IN1	VT-3618	18W	1500	300x22x137mm	20

NEW LED SMART SMART 48V TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6889-3IN1	VT-908D-P	8W	700	40x1460mm	20

NEW



Trimless Track Rail-1000mm

SKU	Box Qty
6890	10

NEW



Trimless Track Rail-2000mm

SKU	Box Qty
6891	10

NEW



End Cap-Trimless Track Rail

SKU	Box Qty
6892	500

NEW



Trimless L Shape Vertical Connector

SKU	Box Qty
6893	100

NEW



Trimless L Shape Side Connector

SKU	Box Qty
6894	100

NEW



Surface Track Rail-1000mm

SKU	Box Qty
6896	10


NEW



Surface Track Rail-2000mm

SKU	Box Qty
6897	10

NEW



End Cap-Surface Track Rail

SKU	Box Qty
6898	500

NEW



Surface L Shape Vertical Connector

SKU	Box Qty
6899	100

NEW



Surface L Shape Side Connector

SKU	Box Qty
6900	100

NEW



I Connector for Track Rail

SKU	Box Qty
6901	100

NEW



Soft Connector for Track Rail

SKU	Box Qty
6902	100

NEW



Driver-200W

SKU	Box Qty
6895	20

Watts: 200
Output Voltage: DC:48V
Input Power: AC:220-240V



LED Magnetic Tracklights

Magnetic track lights uniquely utilize magnets' fast adsorption characteristics and are made up by combining the magnetic track and light. The track itself comes in multiple variations, with surface mounted, recessed, suspended and borderless embedding options available. The light has anti-glare line light, anti-glare high power light, soft light lamp, suspension light, and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, the surface combination can meet the needs of various lighting effects. Its convenient installation, fashionable style, and can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas, and clubs.

NEW LED MAGNETIC TRACK LIGHTS FLEXIBLE TUBE

- DC:48V Input Voltage

- 200° Beam Angle

- >80 CRI

- Silicone Body



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
10277 - 3000K WARM WHITE 10278 - 4000K DAY WHITE	VT-42112	Black	11W	1320	1000
10279 - 3000K WARM WHITE 10280 - 4000K DAY WHITE	VT-42024	Black	23W	2850	2000

NEW MAGNETIC TRACKLIGHTS-GRILLE LIGHT

- DC:48V Input Voltage


- 39° Beam Angle

- >80 CRI

- Aluminium+PC Body

- 20,000 hr lifespan

- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10234 - 3000K WARM WHITE 10233 - 4000K DAY WHITE 10235 - 6400K WHITE	VT-4225	Black	5W	550	160x26x24	100
10237 - 3000K WARM WHITE 10236 - 4000K DAY WHITE 10238 - 6400K WHITE	VT-4212	Black	12W	1100	273x26x24	50
10240 - 3000K WARM WHITE 10239 - 4000K DAY WHITE 10241 - 6400K WHITE	VT-4222	Black	22W	1900	501x26x24	50

NEW **MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE**



- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10258 - 3000K WARM WHITE 10257 - 4000K DAY WHITE 10259 - 6400K WHITE	VT-4205	Black	5W	600	145x33x52	30
10261 - 3000K WARM WHITE 10260 - 4000K DAY WHITE 10262 - 6400K WHITE	VT-42012	Black	12W	1300	260x33x52	30

NEW **MAGNETIC LINEAR TRACK LIGHTS**




- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10243 - 3000K WARM WHITE 10242 - 4000K DAY WHITE 10244 - 6400K WHITE	VT-4211	Black	14W	1500	278x26x24	50
10246 - 3000K WARM WHITE 10245 - 4000K DAY WHITE 10247 - 6400K WHITE	VT-4218	Black	18W	2000	385x26x24	50
10249 - 3000K WARM WHITE 10248 - 4000K DAY WHITE 10250 - 6400K WHITE	VT-42022	Black	22W	2500	615x26x24	50


NEW MAGNETIC TACKLIGHT-L SHAPE



03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10267 - 3000K WARM WHITE 10266 - 4000K DAY WHITE 10268 - 6400K WHITE	VT-42025	25W	2850	280x255x24	20

NEW MAGNETIC TACKLIGHT-PENDANT



03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 30° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10264 - 3000K WARM WHITE 10263 - 4000K DAY WHITE 10265 - 6400K WHITE	VT-4214	14W	1600	40x128x1155	35


NEW COB MAGNETIC TACKLIGHTS



03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10252 - 3000K WARM WHITE 10251 - 4000K DAY WHITE 10253 - 6400K WHITE	VT-42010	11W	1300	46x128x176	30
10255 - 3000K WARM WHITE 10254 - 4000K DAY WHITE 10256 - 6400K WHITE	VT-4221	20W	2200	56x128x210	30

Accessories for DC:48V



Drivers-100W - DC:48V

SKU	Box Qty
10272	50



Drivers-200W -DC:48V

SKU	Box Qty
10273	50



I Shape Straight Connector

SKU	Box Qty
10269	200



I Shape Right Angle Turn Connector

SKU	Box Qty
10270	200



L Shape Connector

SKU	Box Qty
10271	30



Ultra Thin Magnetic Track Rail-1M

SKU	Box Qty
10232	25




LED Magnetic 24V Tracklights

Magnetic track lights uniquely utilize magnets' fast adsorption characteristics and are made up by combining the magnetic track and light. The track itself comes in multiple variations, with surface mounted, recessed, suspended and borderless embedding options available. The light has anti-glare line light, anti-glare high power light, soft light lamp, suspension light, and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, the surface combination can meet the needs of various lighting effects. Its convenient installation, fashionable style, and can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas, and clubs.

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage
30° Beam Angle
>90 CRI
Aluminium Body
30,000 hr lifespan
IP20 Rating




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7958 3000K WARM WHITE 7959 4000K DAY WHITE	VT-4141	1W	35	45x35x59mm	40

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage
30° Beam Angle
>90 CRI
Aluminium Body
30,000 hr lifespan
IP20 Rating




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7960 3000K WARM WHITE 7961 4000K DAY WHITE	VT-4143	3W	240	106x35x59mm	36

MAGNETIC LINEAR TRACK LIGHT



DC:24V Input Voltage
30° Beam Angle
>90 CRI
Aluminium Body
30,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7962 3000K WARM WHITE 7963 4000K DAY WHITE	VT-4210	10W	700	137x35x180mm	16


MAGNETIC LINEAR TRACK LIGHT



DC:24V Input Voltage
30° Beam Angle
>90 CRI



Aluminium Body
30,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7964 3000K WARM WHITE 7965 4000K DAY WHITE	VT-4220	20W	1200	270x35x180mm	8


MAGNETIC SPOTLIGHT



DC:24V Input Voltage
36° Beam Angle
>90 CRI



Aluminium Body
30,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7966 3000K WARM WHITE 7967 4000K DAY WHITE	VT-4215	15W	900	166x100x55mm	16


MAGNETIC PENDANT LIGHT



DC:24V Input Voltage
36° Beam Angle
>90 CRI



Aluminium Body
30,000 hr lifespan
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7968 3000K WARM WHITE 7969 4000K DAY WHITE	VT-4315	15W	1000	300x55mm	12

MAGNETIC LINEAR LIGHT



DC:24V Input Voltage


100° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7954 3000K WARM WHITE 7955 4000K DAY WHITE	VT-4121	20W	1600	652x35x59mm	12
7956 3000K WARM WHITE 7957 4000K DAY WHITE	VT-4131	30W	2700	970x35x59mm	12

Accessories for DC:24V



Track Rail-0.5M

SKU	Box Qty
7950	9



Track Rail-1M

SKU	Box Qty
7951	9



Track Rail-1.5M

SKU	Box Qty
7953	6



Track Rail-2M

SKU	Box Qty
7952	6



Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75



Track Connector

SKU	Box Qty
7971	180




90°D Corner Connector

SKU	Box Qty
7972	27



Outer Corner Connector

SKU	Box Qty
7973	27



Cross Connector

SKU	Box Qty
7974	36



T Type Connector

SKU	Box Qty
7975	36



Pendant Track Rail Accessory

SKU	Box Qty
7977	150



Track Cover

SKU	Box Qty
7978	200



Live End Connector

SKU	Box Qty
7979	200



100W Transformer - DC:24V

SKU	Box Qty
11144	30



200W Transformer - DC:24V

SKU	Box Qty
11145	30



V-TAC
Meaningful Innovation.



LED 3F Tracklights

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highly enhancing any product's appeal to customers.

Key Features


- Saves 80% energy
- No ultraviolet or infrared radiation
- Totally flexible, Compact & Adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform illumination & enhances the appeal of any environment.
- Greatly increased levels of performance and efficiency compared to older solutions such as high wattage halogen or HID light sources in retail and commercial lighting applications.



LINEAR TRACKLIGHTS-BLACK BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19




SKU	Model	Watts	Lumens	Box Qty	Size
20000 2700K WARM WHITE 20001 4000K DAY WHITE	VT-416-B	12W	960	40	35x138mm
20006 2700K WARM WHITE 20007 4000K DAY WHITE	VT-431-B	25W	2000	20	35x270mm

LINEAR TRACKLIGHTS-WHITE BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19




SKU	Model	Watts	Lumens	Box Qty	Size
20003 2700K WARM WHITE 20004 4000K DAY WHITE	VT-416-W	12W	960	40	35x138mm
20009 2700K WARM WHITE 20010 4000K DAY WHITE	VT-431-W	25W	2000	20	35x270mm

10 LINE TRACKLIGHTS

A complete range of durable 7w to 20w 4-line LED track lights with Aluminium body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- COB LED Type
- 30,000 hr Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body




SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
350 3000K WARM WHITE 351 4000K DAY WHITE 352 5000K WHITE	White	VT-407-W	7W	490	40	180x40.5x50mm
21351 4000K DAY WHITE	White	VT-407-W-N	7W	700	40	180x40.5x50mm
353 3000K WARM WHITE 354 4000K DAY WHITE 355 5000K WHITE	Black	VT-407-B	7W	420	40	180x40.5x50mm
21353 3000K WARM WHITE 21354 4000K DAY WHITE 21355 5000K WHITE	Black	VT-407-B-N	7W	700	40	180x40.5x50mm
357 4000K DAY WHITE 358 5000K WHITE	White	VT-415-W	15W	1200	40	200x50x50mm
21356 3000K WARM WHITE 21357 4000K DAY WHITE	White	VT-415-W-N	15W	1500	40	200x50x50mm
359 3000K WARM WHITE 360 4000K DAY WHITE	Black	VT-415-B	15W	1050	40	200x50x50mm
21359 3000K WARM WHITE 21360 4000K DAY WHITE 21361 5000K WHITE	Black	VT-415-B-N	15W	1500	40	200x50x50mm
362 3000K WARM WHITE 363 4000K DAY WHITE 364 5000K WHITE	White	VT-420-W	20W	1600	40	220x60x50mm
365 3000K WARM WHITE 366 4000K DAY WHITE 367 5000K WHITE	Black	VT-420-B	20W	1400	40	220x60x50mm
20486 4000K DAY WHITE	Black	VT-11035-B NEW	35W	3000	20	164x80x190mm

4 LINE TRACKLIGHTS

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.

- COB LED Type
- 30,000 hr Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body




SKU	Model	Watts	Lumens	Box Qty	Size
939 3000K WARM WHITE 940 4000K DAY WHITE	VT-418	18W	1260	20	Ø60x165x156mm
941 3000K WARM WHITE 942 4000K DAY WHITE	VT-430	30W	2100	20	Ø80x175x180mm

4 LINE SHUTTER TRACKLIGHTS


These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- COB LED Type
- 30,000 hr Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
371 3000K WARM WHITE 372 4000K DAY WHITE 373 5000K WHITE	Black	VT-433-B	33W	2640	8	Ø170x230x240mm
21371 3000K WARM WHITE 21372 4000K DAY WHITE	Black	VT-433-B-N	30W	3000	8	Ø170x230x240mm
368 3000K WARM WHITE 369 4000K DAY WHITE 370 5000K WHITE	White	VT-433-W	33W	2640	8	Ø170x230x240mm

COB TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage

24° Beam Angle

>0.9 PF

>95 CRI


Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1300 - 6400K WHITE	VT-4615W	15w	1300	Ø180x97x155	20
1294 - 6400K WHITE	VT-4635W	30w	2700	180x140x215	20

COB TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage

24° Beam Angle

>0.9 PF

>95 CRI


Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1303 - 6400K WHITE	VT-4615B	15w	1300	180x97x155	20
1297 - 6400K WHITE	VT-4635B	30w	2700	180x140x215	20

SMART COB TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage

18°-48° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1456 - 3 IN 1	VT-7715-W	15w	650	215x141x60	20
1458 - 3 IN 1	VT-7735-W	35w	2350	215x183x93	20


NEW COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage
 35° Beam Angle
 >90 CRI
 ABS+Aluminium Body
 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8078 - 3IN1	VT-47030-B	30W	2900	253x71x71	20
8842 - 3IN1	VT-47050-B	40W	3150	293x80x80	


NEW COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage
 35° Beam Angle
 >90 CRI
 ABS+Aluminium Body
 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8142 - 3IN1	VT-47030-W	30W	2900	253x71x71	20
8843 - 3IN1	VT-47050-W	40W	3150	293x80x80	


NEW COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage
 35° Beam Angle
 >80 CRI
 Aluminium Body
 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
10371 - 3IN1	VT-4633	30W	3000	105x150x141


NEW COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage
 30° Beam Angle
 >80 CRI
 Aluminium Body
 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10281 - 4000K DAY WHITE	VT-4235-B	35W	3000	91x151x159	20


COB 4 LINE TRACK LIGHTS



AC:100-240V,50/60Hz Input Voltage
25° Beam Angle
>0.9 PF
>95 CRI
Die Cast Aluminium Body
20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1235 - 5000K WHITE	VT-4535	33w	1800	112x165x205	8
1238 - 5000K WHITE	VT-4545	45w	2300	123x165x218	8


COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
24° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1255 - 3000K WARM WHITE 1256 - 4500K DAY WHITE 1257 - 6000K WHITE	VT-4536W	35w	3500	92x165x192	20
211255 - 3000K WARM WHITE 211256 - 4000K DAY WHITE 211257 - 6500K WHITE	VT-4536W-N	35w	3000	92x165x192	20

COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
24° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1285 - 3000K WARM WHITE 1286 - 4000K DAY WHITE 1287 - 6000K WHITE	VT-4536B	35w	3500	92x165x192	20
211285 - 3000K WARM WHITE 211286 - 4000K DAY WHITE 211287 - 6000K WHITE	VT-4536B-N	35w	3000	92x165x192	20

NEW



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body

SKU	Box Qty
6783	20



NEW



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body

SKU	Box Qty
6784	20





**Connector
4I**

SKU	Box Qty
3522	50



**Connector
4I**

SKU	Box Qty
3523	50



**Connector
4T**

SKU	Box Qty
3524	25



**Connector
4T**

SKU	Box Qty
3525	25



**Connector
4X**

SKU	Box Qty
3526	10



**4 Wired
Y Series
Connector**

SKU	Box Qty
3655	100



**4 Wired
Y Series
Connector**

SKU	Box Qty
3656	100



**End Cap
White**

SKU	Box Qty
3657	200



**End Cap
Black**

SKU	Box Qty
3658	200



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3659	50



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3660	50



**Connector
4X**

SKU	Box Qty
3527	10




**Connector
4L**

SKU	Box Qty
3528	25



**Connector
4L**

SKU	Box Qty
3529	25



**Flexible
Joint 4
Line**

SKU	Box Qty
3559	20



**Flexible
Joint 4
Line**

SKU	Box Qty
3560	20



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3565	100



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3566	100



**4 Core
Track 1
Meter**

SKU	Box Qty
9944	10



**4 Core
Track 1
Meter**

SKU	Box Qty
9945	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9952	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9953	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9954	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9955	10



Po więcej informacji
zapraszamy na naszą stronę
internetową:
www.led-europe.pl

Kontakt:

Poniedziałek -Piątek
8:00-16:00
+48 570 572 570
biuro@led-europe.pl

LED Europe sp. z o.o.
ul. Starorudzka 12E
93-418 Łódź
Poland

SOLUZIONI ENERGETICHE COMPLETE PER UN FUTURO MIGLIORE